IN RE: PETITION FOR ADMIN. VARIANCE * BEFORE THE (1119 Saddle Creek Court)

8th Election District

3rd Council District

Jared & Melody Kelly

* HEARINGS FOR

Petitioners

* BALTIMORE COUNTY

* CASE NO. 2020-0187-A

* * * * * * * * *

OPINION AND ORDER

This matter comes before the Office of Administrative Hearings ("OAH") as a Petition for Administrative Variance filed by the legal owners of the property, Jared and Melody Kelly ("Petitioners"). The Petitioners are requesting Variance relief from the Baltimore County Zoning Regulations ("BCZR") § 400.3 to approve an accessory building (pool house) at a total height of 19 ft. in lieu of the required maximum height of 15 ft. The subject property and requested relief is more fully depicted on the site plan that was marked and accepted into evidence as Petitioners' Exhibit 1.

The Zoning Advisory Committee ("ZAC") comments were received and are made part of the record of this case. A ZAC comment was received from the Department of Planning. The Petitioners having filed a Petition for Administrative Variance and the subject property having been posted on July 9, 2021, and there being no request for a public hearing, a decision shall be rendered based upon the documentation presented.

It is to be noted that support letters were received from adjacent neighbors, 1117 Saddle Creek Court, 1123 Saddle Creek Court who indicated they are in support of the Petitioners' request. A letter from the Hunt Valley Chase Homeowners Association also indicated that they approve the Petitioners' request.

Although the Department of Planning did not make any recommendations related to the proposed accessory building (pool house) height and usage, I will impose conditions that the pool house shall not be converted into a dwelling unit or apartment, not contain any sleeping quarters, living area, and kitchen facilities or bathroom facilities.

The Petitioners have filed the supporting affidavits as required by § 32-3-303 of the Baltimore County Code ("BCC"). Based upon the information available, there is no evidence in the file to indicate that the requested variance would adversely affect the health, safety or general welfare of the public and should therefore be granted. In the opinion of the Administrative Law Judge, the information, photographs, and affidavits submitted provide sufficient facts that comply with the requirements of § 307.1 of the BCZR. Furthermore, strict compliance with the BCZR would result in practical difficulty and/or unreasonable hardship upon the Petitioners.

Pursuant to the posting of the property and the provisions of both the BCC and the BCZR, and for the reasons given above, the requested variance should be granted.

THEREFORE, IT IS ORDERED, this <u>28th</u> day of **July**, **2021**, by the Administrative Law Judge for Baltimore County, that the Petition for Variance relief from the Baltimore County Zoning Regulations ("BCZR") § 400.3 to approve an accessory building (pool house) at a total height of 19 ft. in lieu of the required maximum height of 15 ft., be and is hereby GRANTED.

The relief granted herein shall be subject to the following:

- Petitioners may apply for their appropriate permits and be granted same upon receipt of this Order; however, Petitioners are hereby made aware that proceeding at this time is at their own risk until such time as the 30-day appellate process from this Order has expired. If, for whatever reason, this Order is reversed, Petitioners would be required to return, and be responsible for returning, said property to its original condition.
- Petitioners or subsequent owners shall not convert the accessory structure (pool house) into a dwelling unit or apartment. The accessory structure (pool house) shall not contain any sleeping quarters, living area, and kitchen or bathroom facilities.

•	The accessory	structure	(pool	house)	shall	not be	e used	for	commercial	purposes.
---	---------------	-----------	-------	--------	-------	--------	--------	-----	------------	-----------

Any appeal of this decision must be made within thirty (30) days of the date of this Order.

PMM:dlw